



**CCP-MD6530E-WA**

Price: 28.000.000

1/2.8" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, **5.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight Length, 3 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP67, Metal Case, Easy Installation  
**Built in MIC**



**CCP-MD6230E-WCA**

Price: 22.400.000

1/2.9" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight Length, 3 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP67, Metal Case, Easy Installation  
**Built in MIC, Support Audio In TVI & CVI Mode**



**CCP-MD6230FN-WCA**

Price: 16.950.000

1/2.9" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight Length, 3 Sunny LED  
OSD Menu by UTC(output 4-in-1)  
Plastic Case  
**Built in MIC, Support Audio In TVI & CVI Mode**



**CCP-MD6230F-WCA**

Price: 16.950.000

1/2.9" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight Length, 3 Sunny LED  
OSD Menu by UTC(output 4-in-1)  
Plastic Case  
**Built in MIC, Support Audio In TVI & CVI Mode**



## CCP-MD6230D-WCA

Price: 22.400.000

1/2.9" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight Length, 3 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP67, Metal Case, Easy Installation  
**Built in MIC, Support Audio In TVI & CVI Mode**



## CCP-MD6530D-WA

Price: 28.000.000

1/2.8" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, **5.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight Length, 3 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP67, Metal Case, Easy Installation  
**Built in MIC**



## CCP-MD6230D-DCA

Price: 24.200.000

1/2.9" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight & 40m IR Length, 3 Dual EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP67, Metal Case, Easy Installation  
**Built in MIC, Support Audio In TVI & CVI Mode**



## CCP-MD6530D-DA

Price: 29.000.000

1/2.8" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, **5.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight & 40m IR Length, 3 Dual EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP67, Metal Case, Easy Installation  
**Built in MIC**



## CCP-MD6230B-WCA

Price: 16.950.000

1/2.9" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight Length, 2 Power LED  
OSD Menu by UTC(output 4-in-1)  
Plastic Case  
**Built in MIC, Support Audio In TVI & CVI Mode**



## CCP-MD6230CN-WCA

Price: 16.950.000

1/2.9" Starlight CMOS Image Sensor  
2.8mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
30m Warmlight Length, 3 Power LED  
OSD Menu by UTC(output 4-in-1)  
Plastic Case  
**Built in MIC, Support Audio In TVI & CVI Mode**





## CCP-SB6230G-D

Price: 22.100.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC  
 30m Warmlight & 40m IR Length, 3 Dual EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



## CCP-SB6530G-DA

Price: 28.900.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC  
 30m Warmlight & 40m IR Length, 3 Dual EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case  
**Built in MIC**



## CCP-SB6230G-W

Price: 21.300.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC  
 30m Warmlight Length, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



## CCP-SB6530G-WA

Price: 28.000.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC  
 30m Warmlight Length, 3 EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case  
**Built in MIC**



## CCP-MB6240X-W

Price: 20.750.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
40m Warmlight Length, 4 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



## CCP-MB6540X-WA

Price: 27.450.000

1/2.8" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, **5.0MP**  
DWDR, 3DNR, AWB, BLC  
40m Warmlight Length, 4 EXIR LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case  
**Built in MIC**



## CCP-MB6240Y-W

Price: 20.200.000

1/2.9" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
1920(H) × 1080(V) Resolution, **2.0MP**  
DWDR, 3DNR, AWB, BLC  
40m Warmlight Length, 4 Power LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case



## CCP-MB6540Y-WA

Price: 26.350.000

1/2.8" Starlight CMOS Image Sensor  
3.6mm F1.2 Starlight Fixed lens  
2560(H) × 1920(V) Resolution, **5.0MP**  
DWDR, 3DNR, AWB, BLC  
40m Warmlight Length, 4 Power LED  
OSD Menu by UTC(output 4-in-1)  
IP66, Metal Case  
**Built in MIC**



### CCP-LB6550Z-WA

Price: 31.150.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC  
 50m Warmlight Length, 4 Power EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case  
**Built in MIC**



### CCP-LB6550Z-DA

Price: 32.150.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC  
 50m Warmlight & 60m IR Length  
 4 Power EXIR LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case  
**Built in MIC**



### CCP-SB6240M-W

Price: 20.500.000

1/2.9" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 1920(H) × 1080(V) Resolution, **2.0MP**  
 DWDR, 3DNR, AWB, BLC  
 30m Warmlight Length, 4 Array LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case



### CCP-SB6540M-WA

Price: 26.750.000

1/2.8" Starlight CMOS Image Sensor  
 3.6mm F1.2 Starlight Fixed lens  
 2560(H) × 1920(V) Resolution, **5.0MP**  
 DWDR, 3DNR, AWB, BLC  
 40m Warmlight Length, 4 Sunny LED  
 OSD Menu by UTC(output 4-in-1)  
 IP66, Metal Case  
**Built in MIC**

4CH H.265 **5MP-Lite & 1080P** XVR  
4CH Camera + 1CH IP Camera  
Preview Capacity: 4\*5MP-Lite@20fps  
Code Capacity: 4\*(5MP-Lite@12/4MP-Lite@17/1080P@15/1080P-Lite@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Classification For 4CH)  
Support Face Detection (With Special Firmware Upgrade / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB 2.0 - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif 2.4  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5604-ZN1**  
Price: 56.750.000



4CH H.265 **4K-Lite & Real 5MP** XVR  
4CH Camera + 2CH IP Camera  
Preview Capacity: 4\*(8MP-Lite@15fps/5MP@12fps)  
Code Capacity: 4\*(8MP-Lite@15fps/5MP@12fps/1080P@25fps)  
4CH Playback (2CH@15fps + 2CH@1fps)  
Support SMD (Human/Vehicle Classification For 4CH)  
Support Face Detection  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA** Video Simultaneous Output  
Analoge Video Output (BNC)  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out, 2\*USB  
1\*10/100 Mbps LAN Interface, RS-485 Port  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7604-ZHN1/4KL**  
Price: 81.400.000



**HISILICON**  
NEW AI Chipset

4CH H.265 **Real 5MP** XVR  
4CH Camera (Analog & IP)  
Preview Capacity: 4\*5MP@12fps  
Code Capacity: 4\*(5MP@12/4MP@15/1080P@25)fps  
4CH Playback  
Support SMD (Human/Vehicle Clasification For 4CH)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA Video Simultaneous Output**  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

**SMD  
AOC**

**CXP-7604-ZN1/4KL**

Price: 78.750.000



8CH H.265 **5MP-Lite** XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*5MP-Lite@12fps  
Code Capacity: 8\*(5MP-Lite@12/1080P-Lite@25)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support Face Detection  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

 **SMD  
AOC**

**CXP-5608-ZU1**

Price: 72.250.000



**New Ultra Model**

8CH H.265 **5MP-Lite** XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*5MP-Lite@12fps  
Code Capacity: 8\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support Face Detection (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5608-ZN1**  
Price: 72.250.000



توقف تولید

8CH H.265 **5MP-Lite & 1080P** XVR  
8CH Camera + 4CH IP Camera  
Preview Capacity: 8\*5MP-Lite@20fps  
Code Capacity: 8\*(5MP-Lite@12/1080P@15)fps  
8CH Playback (4CH@12fps + 4CH@1fps)  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support Face Detection  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
Analoge Video Output (BNC)  
1 SATA HDD Up to 10TB  
**4/1** CH Audio In/Out, 2\*USB  
1\*10/100 Mbps LAN Interface, RS-485 Port  
P2P support, Onvif  
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5708-ZHN1**  
Price: 82.000.000



 **HISILICON**  
NEW AI Chipset

8CH H.265 **4K-Lite & Real 5MP** XVR  
8CH Camera + 2CH IP Camera  
Preview Capacity: 8\*(4K-Lite@15/5MP@12)fps  
Code Capacity: 8\*(4K-Lite@9/5MP@8/4MP@10/1080P@20)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support Face Detection (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analogue,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA** Video Simultaneous Output  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7608-ZN1/4KL**

Price: 113.150.000



8CH H.265 **4K-Lite & Real 5MP** XVR  
8CH Camera + 4CH IP Camera  
Preview Capacity: 8\*(4K-Lite@15/5MP@12)fps  
Code Capacity: 8\*(4K-Lite@9/5MP@8)fps  
8CH Playback  
Support SMD (Human/Vehicle Clasification For 8CH)  
Support Face Detection  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analogue,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA** Video Simultaneous Output  
Analogue Video Output (BNC)  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out, 2\*USB  
1\*10/100 Mbps LAN Interface, RS-485 Port  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7608-ZHN1/4KL**

Price: 115.400.000



**HISILICON**  
NEW AI Chipset

16CH H.265 **5MP-Lite** XVR  
16CH Camera + 4CH IP Camera  
Preview Capacity: 16\*5MP-Lite@12fps  
Code Capacity: 16\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
16CH Playback  
Support SMD (Human/Vehicle Clasification For 16CH)  
Support Face Detection (With Special Firmware Upgarde / Not At The Same Time As SMD)  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5616-ZN1**  
Price: 126.550.000



16CH H.265 **4K-Lite & Real 5MP** XVR  
16CH Camera + 4CH IP Camera  
Preview Capacity: 16\*(4K-Lite@15fps/5MP@12fps)  
Code Capacity: 16\*(4K-Lite@9fps/5MP@8fps)  
16CH Playback  
Support SMD (Human/Vehicle Clasification For 16CH)  
Support Face Detection  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analoge,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA** Video Simultaneous Output  
1 SATA HDD Up to 10TB  
4/1 CH Audio In/Out, 2\*USB  
1\*10/100 Mbps LAN Interface, RS-485 Port  
P2P support, Onvif 2.4  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7616-ZHN1/4KL**  
Price: 174.750.000



 **HISILICON**  
NEW AI Chipset

16CH H.265 **5MP-Lite** XVR  
16CH Camera + 4CH IP Camera  
Preview Capacity: 16\*5MP-Lite@12fps  
Code Capacity: 16\*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps  
16CH Playback  
Support SMD (Human/Vehicle Clasification For 16CH)  
Support Face Detection  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analogue,AHD,CVI,TVI,IP)  
HDMI & VGA Video Simultaneous Output  
1 SATA HDD Up to 10TB  
1/1 CH Audio In/Out - 2\*USB - 1\*10/100 Mbps LAN Interface  
P2P support, Onvif  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-5716-ZHN1**  
Price: 129.950.000



**HISILICON**  
NEW AI Chipset

32CH H.265 **4K-Lite & Real 5MP** XVR  
32CH Camera (Analog & IP)  
Preview Capacity: 32\*(4K-Lite@15fps/5MP@12fps)  
Code Capacity: 32\*(4K-Lite@7fps/5MP@6fps)  
16CH Playback  
Support SMD (Human/Vehicle Clasification For 16CH)  
Support Face Detection  
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)  
Pentabrid (Analogue,AHD,CVI,TVI,IP)  
**HDMI 4K & VGA Video Simultaneous Output**  
Analogue Video Output (BNC)  
2 SATA - Each HDD Up to 10TB  
4/1 CH Audio In/Out, 4/1 Alarm In/Out, 2\*USB  
1\*10/100/1000 Mbps LAN Interface, RS-485 Port  
P2P support, Onvif 2.4  
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



**CXP-7632-ZHN2/4KL**  
Price: 383.050.000



**HISILICON**  
NEW AI Chipset

**3 Output Relay Box  
1 Output With 12VDC  
1 RJ45 Web Management Interface  
Compatible With Z Series XVR  
12VDC Input (Without Adaptor)**

این محصول به وسیله کابل شبکه به رکوردرهای سری زد متصل شده و با تعریف و پیاده سازی سناریوهای مختلف از طریق رکوردر و منوی خود محصول می توان از قابلیت های تشخیص انسان و خودروی دوربین و رکوردر در جهت فعال سازی خروجی محصول استفاده نمود تا خروجی تجهیزاتی از قبیل آذیر، تلفن کننده، فرمان به دزدگیر و سایر تجهیزات فرمان پذیر را فعل کرد و از دوربین ها به عنوان دتکتور محیطی با هوش مصنوعی و دقت بسیار بالا استفاده نمود

## FARA AI ALARM BOX

Price: 25.550.000



## FARA - Z MODEM

**4G/LTE USB Modem  
ASR1803S chip platform  
Built-in antenna / Plug and Play  
FDD-LTE 150Mbps & TDD-LTE 130Mbps Cat4  
Compatible With Z Series XVR & NVR  
Power : 5~18V/0.5~1A  
89.6mm\*28.6mm\*13mm / 50g**

**FZ4000G**  
Price: 33.600.000



این مودم با دستگاه های سری زد همخوانی کامل داشته و از طریق اتصال یو اس بی، اینترنت پر سرعت را در اختیار کاربر می گذارد. به وسیله این مودم می توان از قابلیت ارسال اس ام اس دستگاه های سری زد استفاده نمود