

IP - NVR Price List

لیست قیمت محصولات شبکه کلارنت نیمه دوم دی ماه 1404



CIP-MD62300EP-WAF-IF

Price: 30.700.000

1/2.9" **2.4Megapixel** Starlight CMOS Sensor
H265+/H264 Encoding, Dual Stream
2.8mm F1.6 Starlight Advanced Fixed Lens
Main Stream 2MP (1920*1080)@25/30fps
Built in **Microphone**
Digital WDR, 3DNR, HLC, BLC
30m Warmlight, 3 EXIR LED
Standard Onvif
(Compatible with Dahua, Hikvision, Maxron & etc)
Private Protocol With Z Series XVR & NVR
Human Body Detection, Perimeter, Tripwire
IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
Fara View Mobile Monitoring, VMS Monitoring



CIP-MD62300DP-WAF-IF

Price: 30.700.000

1/2.9" **2.4Megapixel** Starlight CMOS Sensor
H265+/H264 Encoding, Dual Stream
2.8mm F1.6 Starlight Advanced Fixed Lens
Main Stream 2MP (1920*1080)@25/30fps
Built in **Microphone**
Digital WDR, 3DNR, HLC, BLC
30m Warmlight, 3 EXIR LED
Standard Onvif
(Compatible with Dahua, Hikvision, Maxron & etc)
Private Protocol With Z Series XVR & NVR
Human Body Detection, Perimeter, Tripwire
IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
Fara View Mobile Monitoring, VMS Monitoring



CIP-MD62300EPU-WAF-IF

Price: 30.700.000

1/2.9" **2.4Megapixel New** Starlight CMOS Sensor
H265+/H264 Encoding, Dual Stream
2.8mm F1.6 Starlight Advanced Fixed Lens
Main Stream 2MP (1920*1080)@25/30fps
Built in **Microphone**
Digital WDR, 3DNR, HLC, BLC
30m Warmlight, 3 EXIR LED
Standard Onvif
(Compatible with Dahua, Hikvision, Maxron & etc)
Private Protocol With Z Series XVR & NVR
Human Body Detection, Perimeter, Tripwire
IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
Fara View Mobile Monitoring, VMS Monitoring



CIP-MD65300EP-WAF-IF

Price: 46.000.000

1/3" **5.0Megapixel** Starlight CMOS Sensor
H265+/H264 Encoding, Dual Stream
2.8mm F1.6 Starlight Advanced Fixed Lens
Main Stream 5MP (2880*1620)@25/30fps
Built in **Microphone**
Digital WDR, 3DNR, HLC, BLC
30m Warmlight, 3 EXIR LED
Standard Onvif
(Compatible with Dahua, Hikvision, Maxron & etc)
Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Perimeter, Tripwire
IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
Fara View Mobile Monitoring, VMS Monitoring



CIP-MD65310EP-WAF-IF

Price: 56.000.000

1/2.7" 5.0Megapixel Starlight CMOS Sensor, 16:9 Ratio
 H265+/H264 Encoding, Dual Stream
 2.8mm F1.6 Starlight Advanced Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
120db WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), **Face** Detection,
 Perimeter, Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-MD65310DP-WAF-IF

Price: 56.000.000

1/2.7" 5.0Megapixel Starlight CMOS Sensor, 16:9 Ratio
 H265+/H264 Encoding, Dual Stream
 2.8mm F1.6 Starlight Advanced Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
120db WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), **Face** Detection, Perimeter,
 Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-MD65300DPI-WAF-IF

Price: 42.600.000

1/3" 5.0Megapixel Starlight CMOS Sensor
 H265+/H264 Encoding, Dual Stream
 2.8mm F1.6 Starlight Advanced Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
 Digital WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Perimeter, Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC
 Integrated PoE (Onboard)
 Fara View Mobile Monitoring, VMS Monitoring



CIP-MD65300DP-WAF-IF

Price: 46.000.000

1/3" 5.0Megapixel Starlight CMOS Sensor
 H265+/H264 Encoding, Dual Stream
 2.8mm F1.6 Starlight Advanced Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
 Digital WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Perimeter, Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-SB62300GP-WAF-IF

Price: 30.000.000

1/2.9" **2.4Megapixel** Starlight CMOS Sensor
 H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advanced Fixed Lens
 Main Stream 2MP (1920*1080)@25/30fps
 Built in **Microphone**
 Digital WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
 Human Body Detection, Perimeter, Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-SB62300GPU-WAF-IF

Price: 30.000.000

1/2.9" **2.4Megapixel New** Starlight CMOS Sensor
 H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advanced Fixed Lens
 Main Stream 2MP (1920*1080)@25/30fps
 Built in **Microphone**
 Digital WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
 Human Body Detection, Perimeter, Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-SB65300GP-WAF-IF

Price: 44.150.000

1/3" **5.0Megapixel** Starlight CMOS Sensor
 H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advance Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
 Digital WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Perimeter, Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-SB65300GP-WAH-IF

Price: 44.150.000

1/3" **5.0Megapixel** Starlight CMOS Sensor, **Hisilicon Chipset**
 H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advance Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
 Digital WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Perimeter, Tripwire,
Loitering, People Counting
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-MB65400KP-WAF-IF

Price: 45.150.000

1/3" **5.0Megapixel** Starlight CMOS Sensor
 H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advance Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
 Digital WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Perimeter, Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-MB65400KP-WAH-IF

Price: 45.150.000

1/3" **5.0Megapixel** Starlight CMOS Sensor, **Hisilicon Chipset**
 H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advance Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
 Digital WDR, 3DNR, HLC, BLC
 30m Warmlight, 3 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Perimeter, Tripwire,
Loitering, People Counting
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-MB65410KP-WAF-IF

Price: 59.200.000

1/2.7" **5.0Megapixel** Starlight CMOS Sensor, **16:9 Ratio**
 Dual Board, H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advanced Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
120db WDR, 3DNR, HLC, BLC
 40m Warmlight, 4 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), **Face** Detection,
 Perimeter, Tripwire
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-LB65600UP-WZAF-IF

Price: 68.000.000

1/1.8" **5.0Megapixel** Super LowLight Sensor
 Dual Board, H265+/H264 Encoding, Dual Stream
 4.0mm **F1.0** Starlight Advanced Fixed Lens
 Main Stream 5MP (2880*1620)@25/30fps
 Built in **Microphone**
 3DNR, HLC, BLC
 60m Warmlight, 5 Power EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection)
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-MB68410KP-WAF-IF

Price: 79.400.000

1/2.8" 8.0Megapixel SONY STARVIS IMX415 Sensor
 Dual Board, H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advance Fixed Lens
 Main Stream 8MP (3840*2160)@20fps
 Built in **Microphone**
120db WDR, 3DNR, HLC, BLC
 40m Warmlight, 4 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Face Detection, Perimeter,
 Tripwire, **LPD**(Software Update)
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-LB68510ZP-WAF-IF

Price: 84.900.000

1/2.8" 8.0Megapixel SONY STARVIS IMX415 Sensor
 Dual Board, H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advance Fixed Lens
 Main Stream 8MP (3840*2160)@20fps
 Built in **Microphone**
120db WDR, 3DNR, HLC, BLC
 50m Warmlight, 4 EXIR LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Face Detection, Perimeter,
 Tripwire, **LPD**(Software Update)
 IP67 Metal Case, **Easy Installation**, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



CIP-LB68510TP-WAF-IF

Price: 84.900.000

1/2.8" 8.0Megapixel SONY STARVIS IMX415 Sensor
 Dual Board, H265+/H264 Encoding, Dual Stream
 3.6mm F1.6 Starlight Advance Fixed Lens
 Main Stream 8MP (3840*2160)@20fps
 Built in **Microphone**
120db WDR, 3DNR, HLC, BLC
 50m Warmlight, 4 EXIR Power LED
 Standard Onvif
 (Compatible with Dahua, Hikvision, Maxron & etc)
 Private Protocol With Z Series XVR & NVR
SMD (Human/Vehicle Detection), Face Detection, Perimeter,
 Tripwire, **LPD**(Software Update)
 IP67 Metal Case, 12VDC, **Smart PoE Board**
 Fara View Mobile Monitoring, VMS Monitoring



10CH H.265+ 4K (8MP) NVR
80Mbps Incoming Bandwidth
10Ch Live View, Up to 8MP Resolution for Preview & Playback
Decode Capacity : 1*(4K@25fps)
Playback 10CH (Main Stream + Sub Stream)
Ai By Camera (Full Channel SMD / Face Detection / Perimeter / Tripwire)
Digital Audio Support
HDMI 4K & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1 CH Audio Out, 2*USB 2.0, 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS-Andriod FARA VIEW App, Adaptive Iran & International Servers

CNP-7810F1-4K
Price: 67.000.000



10CH H.265+ 4K (8MP) NVR
100Mbps Incoming Bandwidth
10Ch Live View, Up to 8MP Resolution for Preview & Playback
Decode Capacity : 1*(4K@25fps)
Playback 10CH (Main Stream + Sub Stream)
Ai By Camera (Full Channel **LPD** / SMD / Face Detection / Perimeter / Tripwire)
Ai By NVR (1Ch **Face Recognition** / 4Ch SMD / 4Ch Face Detection)
Digital Audio Support
HDMI 4K & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1 CH Audio Out, 2*USB 2.0, 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS-Andriod FARA VIEW App, Adaptive Iran & International Servers

CNP-8810i1-4K
Price: 70.450.000





20Ch H.265+ 4K (8MP) NVR
160Mbps Incoming Bandwidth
20Ch Live View, Up to 8MP Resolution for Preview & Playback
Decode Capacity : 2*(4K@25fps)
Playback 16Ch (Main Stream + Sub Stream)
Ai By Camera (Full Channel **LPD** / SMD / Face Detection / Perimeter / Tripwire)
Ai By NVR (4Ch SMD / 4Ch Face Detection)
Digital Audio Support
HDMI 4K & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1 Ch Audio Out, 3*USB 2.0
1*10/100/1000 Mbps LAN Interface, RS-485
P2P support, Onvif
IOS-Andriod FARA VIEW App, Adaptive Iran & International Servers

CNP-8820H1-4K
Price: 109.200.000



20Ch H.265+ 4K (8.0MP) NVR
120Mbps Incoming Bandwidth
20Ch Live View, Up to 8.0MP Resolution for Preview & Playback
Decode Capacity : 4*(4K@25fps)
Playback 16Ch (Main Stream + Sub Stream)
Ai By Camera (Full Channel **LPD** / SMD / Face Detection / Perimeter / Tripwire)
Ai By NVR (1Ch **Face Recognition** / 4Ch SMD / 4Ch Face Detection)
Digital Audio Support
HDMI 4K & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1 Ch Audio Out, 3*USB 2.0, 1*10/100/1000 Mbps LAN Interface
P2P support, Onvif, IOS-Andriod FARA VIEW App, Adaptive Iran & International Servers

CNP-8820i1-4K
Price: 92.750.000





32Ch H.265+ 4K (8MP) NVR
200Mbps Incoming Bandwidth
32Ch Live View, Up to 8MP Resolution for Preview & Playback
Decode Capacity : 4*(4K@25fps)
Playback 16Ch (Main Stream + Sub Stream)
Ai By Camera (Full Channel LPD / SMD / Face Detection / Perimeter / Tripwire)
Ai By NVR (8Ch SMD / 4Ch Face Detection)
Digital Audio Support
HDMI 4K & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1 Ch Audio Out, 3*USB 2.0
1*10/100/1000 Mbps LAN Interface, RS-485
P2P support, Onvif
IOS-Andriod FARA VIEW App, Adaptive Iran & International Servers

CNP-8832H1-4K
Price: 132.500.000



FARA - Z MODEM

4G/LTE USB Modem
ASR1803S chip platform
Built-in antenna / Plug and Play
FDD-LTE 150Mbps & TDD-LTE 130Mbps Cat4
Compatible With Z Series XVR & NVR
Power : 5~18V/0.5~1A
89.6mm*28.6mm*13mm / 50g

FZ4000G
Price: 32.600.000



این مودم با دستگاه های سری زد همخوانی کامل داشته و از طریق اتصال یو اس بی، اینترنت پر سرعت را در اختیار کاربر می گذارد. به وسیله این مودم می توان از قابلیت ارسال اس ام اس دستگاه های سری زد استفاده نمود